

ALOUETTE 004 Floor light - 1 bird

Materials and colour options: Powder coated metal

Product number:

004OL-F01-ME01 Black structure; white reflector
004OL-F01-ME02 White structure; white reflector
004OL-F01-ME03 Colour structure; white reflector
004OL-F01-ME04 Black structure; brass reflector
004OL-F01-ME05 White structure; brass reflector
004OL-F01-ME06 Colour structure; brass reflector

Bulb specification:

G9 max 25W Halogen or LED equivalent

230V IP20

Standard size cable 2 m

Sizes in mm

For additional colour options please contact Areti

0001 968 0200

Please note

Mirrored bulbs reflect a lot of heat back to the lamp holder. Depending on the space around the lamp holder, the heat might build up above the recommended temperature, especially if the heat is trapped when moving upwards. For this reason, the max. wattage indicated does not apply to mirrored bulbs, but to non mirrored bulbs only. If mirrored bulbs are desired, only those with a low wattage (such as LEDS) should be used. The max. wattage for mirrored bulbs is 5 watt LED (equivalent of 40 watt traditional bulb).

ARFTI



ALOUETTE 004 Floor light - 2 birds

Materials and colour options: Powder coated metal

Product number:

004OL-F02-ME01 Black structure; white reflector 004OL-F02-ME02 White structure; white reflector Colour structure; white reflector 004OL-F02-ME03 004OL-F02-ME04 Black structure; brass reflector 004OL-F02-ME05 White structure; brass reflector 004OL-F02-ME06 Colour structure: brass reflector

Bulb specification:

G9 max 25W Halogen or LED equivalent

230V IP20

Standard size cable 2 m

Sizes in mm

For additional colour options please contact Areti

1165 150 Ø 200

Mirrored bulbs reflect a lot of heat back to the lamp holder. Depending on the space around the lamp holder, the heat might build up above the recommended temperature, especially if the heat is trapped when moving upwards. For this reason, the max. wattage indicated does not apply to mirrored bulbs, but to non mirrored bulbs only. If mirrored bulbs are desired, only those with a low wattage (such as LEDS) should be used. The max. wattage for mirrored bulbs is 5 watt LED (equivalent of 40 watt traditional bulb).



ALOUETTE 004 Floor light - 3 birds

Materials and colour options: Powder coated metal

Product number:

004OL-F03-ME01Black structure; white reflector004OL-F03-ME02White structure; white reflector004OL-F03-ME03Colour structure; white reflector004OL-F03-ME04Black structure; brass reflector004OL-F03-ME05White structure; brass reflector004OL-F03-ME06Colour structure; brass reflector

Bulb specification:

G9 max 25W Halogen or LED equivalent

230V IP20

Standard size cable 2 m

Sizes in mm

For additional colour options please contact Areti


298 448 000 150 1010 1500

Please note

Mirrored bulbs reflect a lot of heat back to the lamp holder. Depending on the space around the lamp holder, the heat might build up above the recommended temperature, especially if the heat is trapped when moving upwards. For this reason, the max. wattage indicated does not apply to mirrored bulbs, but to non mirrored bulbs only. If mirrored bulbs are desired, only those with a low wattage (such as LEDS) should be used. The max. wattage for mirrored bulbs is 5 watt LED (equivalent of 40 watt traditional bulb).

ARFTI

www.atelierareti.com contact@atelierareti.com



Alouette Floor I bird

004OL-F01

150

Ø 200

150

Alouette Floor 2 birds

004OL-F02

Ø 200

150

Alouette Floor 3 birds

Ø200

004OL-F03